## DISTRIBUTION THA PARTY A

Approved for public felociety Distribution Unlimited



# AD-A239 093

	-7		
OCUM	AENIT	ATION	DACE

Form Approved OMB No 0704-0188

Unclas	sified			16 RESTRICTIVE I	MARKING\$		
2a SECURITY CLASSIFICATION AUTHORITY			3 DISTRIBUTION/AVAILABILITY OF REPORT				
2h DECLASSI		VNGRADING SCHEDU	II C				
NA	<u> </u>			<u> </u>	tion Unlimi		
		TION REPORT NUMB	ER(S)	5. MONITORING ( NA	ORGANIZATION RE	PORT NUN	1BER(S)
Oregon State University			NA				
Į .	6a NAME OF PERFORMING ORGANIZATION 6b OFFICE SYMBOL (If applicable)		(If applicable)	7a. NAME OF MONITORING ORGANIZATION			
Oregon State University		NA	Office of Naval Research				
	(City, State, an		_ •	7b ADDRESS (City, State, and ZIP Code)			
-		stry & Biophy					
_		niversity, We	-	800 N. Quincy Street Arlington, Virginia 22217-5000			
	FUNDING/SPC	on 97331-650	8b OFFICE SYMBOL	9. PROCUREMENT			
ORGANIZA		5143O11.114G	(If applicable)	3. PROCOREIVIEIVI	INSTRUMENT IDE	MIFICALIC	NA MOINBER
		Research	ONR	N00014-8	8-K-0388		
8c. ADDRESS (	City, State, and	d ZIP Code)		10 SOURCE OF F	UNDING NUMBERS	5	
800 N.	Quincy S	Street		PROGRAM ELEMENT NO	PROJECT	TASK	WORK UNIT ACCESSION NO
Arling	ton, Virg	ginia 22217 <b>-</b> 5	000	61153N	RR04106	NO	ACCESSION NO
11 T(T) 5 (1-a)	luda Samila S	terior diseases		<u> </u>			
	11 TITLE (Include Security Classification)  (U) DNA-mediated electron transfer and application to 'biochip' development						
12 PERSONAL AUTHOR(S) Ho, Pui Shing							
13a TYPE OF Final	REPORT	13b TIME C FROM 6/	OVERED 88 TO 5/91	14. DATE OF REPOR July 25	RT (Year, Month, L , 1991	Day) 15 F	PAGE COUNT 6
16 SUPPLEMENTARY NOTATION							
30222		HON					
17.	COSATI		18. SUBJECT TERMS (6	Continue on reverse	o if necessary and	identify by	r block number)
				Continue on reverse electron tr	-	identify by	block number)
17.	COSATI	CODES	Biological		ansfer	identify by	r block number)
17. FIELD	COSATI GROUP	CODES SUB-GROUP	Biological DNA electr	electron tr onic structu	ansfer	identify by	r block number)
17 FIELD	COSATI GROUP	CODES SUB-GROUP reverse if necessary	Biological DNA electr	electron tr onic structu	ansfer re		
17 FIELD  19 ABSTRACT TO ST	COSATI GROUP (Continue on cudy the e	CODES SUB-GROUP reverse if necessary	Biological DNA electr and identify by block no	electron tr onic structu umber) ble-stranded	ansfer re DNA as to	determi	ning whether
17 FIELD  19 ABSTRACT TO st this made	COSATI GROUP  (Continue on audy the expression of the correction)	SUB-GROUP  reverse if hecessary electronic pr le can suppor	Biological DNA electr  and identify by block no operties of doubt t electron trans	electron tr onic structu umber) ble-stranded sport proces	ansfer re DNA as to ses. This	determi pertair	ning whether
17 FIELD  19 ABSTRACT TO st this mad	COSATI GROUP  (Continue on a cudy the expression of the base)	SUB-GROUP  reverse if hecessary electronic pr le can suppor se sequence a	Biological DNA electr  and identify by block no operties of doubt electron trans nd secondary st	electron tronic structure  umber) ble-stranded sport proces ructure of D	ansfer re  DNA as to ses. This	determi pertair rix for	ining whether as to possibly a developing
17 FIELD  19 ABSTRACT To st this mac utilizin molecula	COSATI GROUP  (Continue on the continue on the complection of the base of the continue on the continue on the continue of the base of the continue of the cont	CODES  SUB-GROUP  reverse if necessary electronic pr le can suppor se sequence a electronic co	Biological DNA electr  and identify by block no operties of doubt electron trans and secondary st mponents. Towa	electron tronic structure (mber) ble-stranded sport proces ructure of Drd these goa	ansfer re  DNA as to ses. This NA as a mat ls, we have	determi pertair rix for	ining whether as to possibly a developing and the aniso-
17 FIELD  19 ABSTRACT TO st this mac utilizin molecula tropic e	(Continue on the complex of the base of the base of the continue on the continue on the continue on the continue of the base of the continue o	SUB-GROUP  reverse if hecessary electronic pr le can suppor se sequence a electronic co	Biological DNA electr  and identify by block no operties of doubt electron trans and secondary sta mponents. Towa of DNA single co	electron tronic structure onic structure of Drug these goarystals usin	DNA as to ses. This NA as a mat ls, we have g reflectan	determi pertair rix for studie ce spec	ining whether as to possibly developing ded the aniso-
17 FIELD  19 ABSTRACT To st this mad utilizin molecula tropic e studied	(Continue on the complex of the base of the base of the interval of the interv	reverse if necessary electronic prese sequence a electronic control properties ractions of t	Biological DNA electr  and identify by block no operties of doubt electron trans nd secondary st mponents. Towa of DNA single coransitions meta	electron tronic structure onic structure of Drug these goarystals usin ls with doub	DNA as to ses. This NA as a mat ls, we have g reflectan le-stranded	determi pertair rix for studie ce spec	ining whether as to possibly a developing ed the aniso- ctroscopy and by X-ray diffrac-
17 FIELD  19 ABSTRACT To st this mac utilizin molecula tropic e studied tion. W	(Continue on the complex of the base of the interfer of the have all	reverse if necessary electronic prese sequence a electronic construction of the constr	Biological DNA electr  and identify by block not operties of doubt electron transing secondary stamponents. Toward of DNA single cransitions metaled a number of properties.	electron tronic structure onic structure of Drug these goarystals using ls with doub porphyrin an	DNA as to ses. This NA as a mat ls, we have g reflectan le-stranded d acridine	determi pertair rix for studie ce spec DNA by modifie	ining whether as to possibly a developing and the aniso- atroscopy and by X-ray diffrac- and DNA mole-
19 ABSTRACT To st this mac utilizin molecula tropic e studied tion. W cules, a	(Continue on the complex of the base of the interfer of the have all	SUB-GROUP  reverse if hecessary electronic pr e can suppor se sequence a electronic co properties ractions of t so synthesiz oled a photof	Biological DNA electr  and identify by block no operties of doubt electron trans nd secondary st mponents. Towa of DNA single coransitions meta	electron tronic structure onic structure of Drug these goarystals using ls with doub porphyrin an	DNA as to ses. This NA as a mat ls, we have g reflectan le-stranded d acridine	determi pertair rix for studie ce spec DNA by modifie	ining whether as to possibly a developing and the aniso- atroscopy and by X-ray diffrac- and DNA mole-
17 FIELD  19 ABSTRACT To st this mac utilizin molecula tropic e studied tion. W cules, a transfer	(Continue on cudy the expression of the base of the intervel of the have all and assemble through	SUB-GROUP  reverse if necessary electronic pr e can suppor se sequence a electronic co properties cactions of t so synthesiz oled a photof DNA.	Biological DNA electr  and identify by block not operties of doubt electron transing secondary stamponents. Toward of DNA single cransitions metaled a number of properties.	electron tronic structured ble-stranded sport proces ructure of Drug these goarystals usin ls with doub porphyrin an apparatus f	DNA as to ses. This NA as a mat ls, we have greflectan le-stranded acridine or direct s	determi pertair rix for studie ce spec DNA by modifie tudy of	ining whether as to possibly developing de the aniso- ctroscopy and X-ray diffrac- ded DNA mole- def electron
17 FIELD  19 ABSTRACT To st this mac utilizin molecula tropic e studied tion. W cules, a transfer In re	(Continue on the description of	reverse if hecessary electronic properties ractions of the solution synthesiz old a photof DNA.	Biological DNA electron and identify by block more operaties of doubt electron transmit secondary stamponents. Toward of DNA single coransitions metaled a number of plash photolysis	electron tronic structured ble-stranded sport proces ructure of Drd these goarystals usin ls with doub porphyrin an apparatus for pensity fo	DNA as to ses. This NA as a mat ls, we have greflectan le-stranded dacridine or direct s	determi pertair rix for studie ce spec DNA by modifie tudy of	Ining whether as to possibly a developing and the aniso- atroscopy and by X-ray diffrac- and DNA mole- alectron accific double
17 FIELD  19 ABSTRACT To st this mad utilizin molecula tropic e studied tion. W cules, a transfer In re helical From thi	(Continue on the current of the interded assemble through elated works, we were	reverse if necessary electronic properties exactions of the solutions can be selected as the solutions are solutions.	Biological DNA electron and identify by block no operties of doubt electron transmit secondary stamponents. Toward DNA single cransitions metaled a number of plash photolysis thown that the properties of the pr	electron tronic structured ble-stranded sport proces ructure of Drd these goarystals usin ls with doub porphyrin an apparatus for calculations	DNA as to ses. This NA as a mat ls, we have greflectan le-stranded acridine or direct s	determing pertain rix for studies ce specton DNA by modified tudy of opt spectos access	ining whether as to possibly c developing ed the aniso- ctroscopy and y X-ray diffrac- ed DNA mole- f electron ecific double sible surfaces.
17 FIELD  19 ABSTRACT To st this mad utilizin molecula tropic e studied tion. W cules, a transfer In re helical From thi	(Continue on audy the extremolecular the base along the base at level extremolecular the intervention of the intervention of the conformation of t	reverse if necessary electronic properties exactions of the solutions can be selected as the solutions are solutions.	Biological DNA electron and identify by block no operties of doubt electron transmit secondary stronger of DNA single cransitions metaled a number of plash photolysis hown that the predicted from	electron tronic structured ble-stranded sport proces ructure of Drd these goarystals usin ls with doub porphyrin an apparatus for calculations	DNA as to ses. This NA as a mat ls, we have greflectan le-stranded acridine or direct s	determing pertain rix for studies ce specton DNA by modified tudy of opt spectos access	ining whether as to possibly c developing ed the aniso- ctroscopy and y X-ray diffrac- ed DNA mole- f electron ecific double sible surfaces.
17 FIELD  19 ABSTRACT To st this mac utilizin molecula tropic e studied tion. W cules, a transfer In re helical From thi in a pre	(Continue on tudy the expression of the base of the intervent of the inter	reverse if necessary electronic properties actions of the solution of the solu	Biological DNA electron and identify by block no operties of doubt electron transmid secondary stamponents. Toward of DNA single caransitions metaled a number of plash photolysis hown that the predicted from tain diffraction	electron tronic structured ble-stranded sport proces ructure of Drug these goarystals usingly with double porphyrin an apparatus for calculations a quality si	DNA as to ses. This NA as a mat ls, we have greflectan le-stranded acridine or direct ser DNA to ad of solvent ngle crysta	determi pertair rix for studie ce spec DNA by modifie tudy of opt spec access ls of I	ining whether as to possibly c developing ed the aniso- ctroscopy and y X-ray diffrac- ed DNA mole- f electron ecific double sible surfaces.
17 FIELD  19 ABSTRACT To st this mad utilizin molecula tropic e studied tion. W cules, a transfer In re helical From thi in a pre	(Continue on tudy the expression of the base of the intervent of the inter	SUB-GROUP  reverse if necessary electronic properties electronic control properties electronic so synthesizoled a photofole DNA.  This we have so the side of the second can be the second can b	Biological DNA electron and identify by block more operaties of doubt electron transmid secondary stamponents. Toward of DNA single coransitions metaled a number of plash photolysis hown that the predicted from tain diffractions	electron tronic structured ble-stranded sport proces ructure of Drug these goarystals usingly with doubt porphyrin an apparatus for calculations an quality si	DNA as to ses. This NA as a mat ls, we have greflectan le-stranded acridine or direct ser DNA to ad of solvent ngle crysta	determing pertain rix for studies ce specton DNA by modified tudy of opt specton accessed in the study of the specton accessed in the specton opt specton accessed in the specton opt specton accessed in the specton opt specton opt specton accessed in the specton opt spec	ining whether as to possibly c developing ed the aniso- ctroscopy and y X-ray diffrac- ed DNA mole- c electron ecific double sible surfaces. DNA oligomers

DD Form 1473, JUN 86 91-06547

Previous editions are obsolete V 0102-LF -014-6603

\_\_SECURITY CLASSIFICATION OF THIS PAGE\_\_\_

Unclassified

#### Summary of Work

ACCOMPLISHMENTS (3 years): We have successfully synthesized a number of porphyrin and acridine derivatives for direct measurement of electron transport through DNA. We are currently determining the steady-state reduction potentials of the modified DNAs to assess the utility of these as photoinducable electron donors and acceptors. We have also completed and tested the flash photolysis apparatus for the direct absorption and emission measurements of electron transfer rates. The primary drawbacks in the progress of this project have been the difficulty in the synthesis of the modified DNAs, and in assembling a working flash photolysis apparatus. Both problems have been solved or circumvented and we are now ready to perform the actual electron transfer measurements.

In related studies, the electronic properties of DNA single crystals were recorded (Ho, et al., 1990), and compared for d(CG) and d(UA) base pairs in Z-DNA by recording the polarized reflectance spectra of d(m $^5$ CG)3 and d(m $^5$ CGUAm $^5$ CG) single crystals. These studies show that the electronic coupling between the aromatic bases of DNA duplexes are highly sequence specific. The sequence containing only d(CG) base pairs showed much greater resolution of the two major  $\pi-\pi^*$  transitions that are characteristic of the Z-conformation. We are currently in the process of comparing the polarized absorbance spectra of a number of other DNA sequences and conformations. In one study, we plan to use the UV absorption spectrum and its linear dichroism of a DNA sequence in an unsolved crystal to determine the conformation and orientation of the oligonucleotide in the unit cell. This would be an attempt to utilize the spectroscopic properties of a crystal to help in solving the phase problem associated with determining the structure of the DNA.

We have solved the structures of two oligonucleotide sequences in the presence of copper(II) ions, and shown that this metal binds in a covalent manner to the guanine bases of double stranded DNA (Kagawa, et al, 1991). The binding is base specific. Only purines are bound and, of the purine bases, only guanines are consistently modified (Geierstranger, et al, 1991). The binding of copper (II) to adenine bases must be facilitated by additional intermolecular interactions, and would not be expected to occur with DNA in free solution. Thus double stranded DNA crystals can be modified, or 'doped', in a base specific manner to affect the electronic properties of the crystal.

In other related work, we have developed and characterized a theoretical criteria for predicting the relative stability of various DNA sequences as 2-DNA in solution and, from this, predicting the solution conditions for the crystallizing hexanucleotides as Z-DNA (Ho, et al, 1991). The method uses solvent accessible surface calculations to estimate the relative stability of the hexanucleotides in the Z-form versus the B- and single-stranded conformations (Kagawa, et al, 1989). This lead to a prediction for the driving force required to induce formation of the left-handed conformation in solution and, when coupled with information on the intrinsic solubility of the conformation, leads to a prediction for how to crystallize Z-DNA. applied this to the sequences  $d(m^5CGUAm^5CG)$ , where  $m^5C$  is the 5methylated cytosine and U is deoxyuridine (Zhou and Ho, 1990), and d(CICGCG), where the base I is deoxyinosine, and found that the method predicted exactly the conditions at which Z-DNA crystals formed. When we examined the energetics for the packing of Z-DNA hexamers in the crystal lattice, we found that the lowest energy packing of the

hexanucleotides was that observed for the actual crystals. The energy for packing resulted from van der Waal's contacts that overcome the inherent conformational entropy and electrostatic repulsion of the DNA in the crystal.

SIGNIFICANCE: The ability to predict the crystallization of Z-DNA hexanucleotides is significant in that we can now consider the process of crystallizing biologically interesting macromolecules as a science rather than a random set of events. This will have applications towards the ability to crystallize other oligonucleotides in different conformations, and relates to the general process of macromolecular crystallization for x-ray diffraction studies.

The base dependance of the polarized reflectance spectra from of DNA in single crystals shows that the electronic properties of the DNA polymer are attenuated by base composition.

Acces	ion For	T
Dill	6.54	J
By Dist ib	ather/	
A	variable, y	
Dist	Avail	
A-1		; ;



#### PUBLICATIONS AND REPORTS FROM WORK SUPPORTED BY THE ONR (3 years):

- Kagawa, T.F., Stoddard, D., Zhou, G., and Ho, P.S. (1989) "A quantitative analysis of DNA secondary structure from solvent accessible surfaces: The B- to Z-DNA transition as a model", Biochemistry, 28, 6642-6651.
- Zhou, G., and Ho, P.S. (1990) "Stabilization of Z-DNA by demethylation of thymine bases: 1.3 Å single crystal structure of d(m<sup>5</sup>CGUAm<sup>5</sup>CG)", Biochemistry, 29, 7229-7236.
- Ho, P.S., Zhou, G., and Clark, L.B. (1990), "Polarized electronic spectra of Z-DNA single crystals", Biopolymers, 30, 151-163.
- Green, S.A., Simpson, D.J., Zhou, G., Ho, P.S., and Blough, N.V. (1990), "Intramolecular quenching of excited singlet states by stable nitroxyl radicals", J. Am. Chem. Soc., 112, 7337-7346.
- Daniels, M., Hart, L.P., Ho, P.S., Ballini, J.-P., and Vigny, P. (1990), "Time-resolved spectroscopy of the intrinsic fluorescence of nucleic acid species", SPIE Proc., 1204, 304-313.
- Kagawa, T.F., Wang, A.H.-J. , Stoddard, D., and Ho, P.S. (1991),
   "Covalent modification of guanine bases in DNA by copper (II) ions:
   1.2 Å crystal Z-DNA structure of CuCl<sub>2</sub> soaked d(CG)<sub>3</sub>", in press, J.
   Biol. Chem.
- Geierstranger, B., Kagawa, T.F., Quigley, G.J., and Ho, P.S. (1991), "Sequence specific modification of purine bases in DNA by copper (II) ions: 1.3 Å crystal Z-DNA structure of CuCl<sub>2</sub> soaked d(m<sup>5</sup>CGUAm<sup>5</sup>CG)", in press, J. Biol. Chem.
- Ho, P.S., Kagawa, T.F., Tseng, K., Schroth, G., ad Zhou, G.(1991), "Prediction of a crystallization pathway for Z-DNA hexanucleotides", Submitted for publication.
- Tseng, K., Kagawa, T.F., and Ho, P.S. "Effect of minor groove substituent groups on the stability of Z-DNA", in preparation.

#### LECTURES AND ABSTRACTS ON ONR FUNDED PROJECTS (3 YEARS):

- Hunter College, the City University of New York, New York, NY, September 8, 1989: 'The effect of hydration on DNA structure', invited lecture.
- Reed College, Portland, OR, October 25, 1989: 'Water and DNA structure: The B- to Z-DNA transition as a model', invited lecture.
- ONR Contractors' Meeting, Belmont House, MD, November 12, 1989: 'DNA mediated electron transfer', invited lecture.
- 35th annual Biophysical Society Meeting in San Francisco, CA, February 26, 1991 'Substituent effects on DNA stability: A solvent free energy analysis', contributed lecture.
- Oregon Graduate Institute of Science and Technology, Beaverton, OR, March 10, 1991: 'Copper DNA interactions', invited lecture.
- Sixth Conversation in the Discipline of Biomolecular Stereodynamics, SUNY at Albany, June 6-10, 1989: 'The effect of hydration on DNA structure', Abstract.
- American Crystallographic Association Annual Meeting, Seattle, WA, July 23-29, 1989: 'Effect of hydration on DNA structure', contributed abstract.
- American Crystallographic Association Annual Meeting, Seattle, WA, July 23-29, 1989: 'The effect of methylation on the stability of d(TA) base pairs in Z-DNA', contributed abstract.

### AWARDS AND RECOGNITION TO PARTICIPANTS AND PRINCIPAL INVESTIGATOR IN THIS PROJECT:

Guangwen Zhou, Linus Pauling Award for student poster, American Crystallographic Association Annual Meeting, Seattle, WA, July 23-29, 1989.

P. Shing Ho: American Cancer Society Junior Faculty Research Award.

#### STUDENT TRAINING:

Student:	Nationality:	M/F:	Degree:
Todd Kagawa	US citizen	Male	Ph.D. candidate
Guangwen Zhou	PRC	Male	Ph.D. candidate
Bernhard Geierstranger	Germany	Male	M.S., 1990

Patents: None filed or pending